

17CV/CT44

urth Semester B.E. Degree Examination, July/August 2021 Concrete Technology

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer any FIVE full questions.

- 2. Any missing data may be suitably assumed.
- 3. Use IS10262:2009 design code is allowed.
- a. What are Bogue's compounds? Briefly explain their contribution towards gaining of strength of cement. (10 Marks)
 - b. Explain the importance of shape and texture of aggregate used in concrete.

(10 Marks)

- 2 a. What is an admixture? Explain the effect of mineral admixture on fresh and hardened properties of concrete. (10 Marks)
 - b. What is grading of aggregate? Explain its significance in improving the properties of concrete. (10 Marks)
- 3 a. List out the good and bad practices of making and using fresh concrete. (10 Marks)
 - b. Explain factors affecting workability of concrete. (10 Marks)
- 4 a. Explain the process of heat of hydration of cement. (10 Marks)
 - b. Explain methods of curing of concrete in detail. (10 Marks)
- 5 a. Explain the process of sulphate attack and chloride attack on concrete. (10 Marks)
 - b. Explain factors affecting shrinkage of concrete. (10 Marks)
- 6 a. Explain factors influencing strength of concrete. (10 Marks)
 - b. Explain carbonation of concrete in detail. (10 Marks)
- With the help of the following data, design M30 grade concrete:
 - Design stipulations:
 - (i) Characteristic compressive strength at 28 days = 30 MPa
 - (ii) Maximum size of aggregate = 20 mm
 - (iii) Degree of workability = Slump (75 mm)
 - (iv) Degree of quality control = Good
 - (v) Type of exposure = Severe
 - Test data for materials:
 - (i) Specific gravity of cement = 3.15
 - (ii) Specific gravity of coarse aggregate = 2.64
 - (iii) Specific gravity of fine aggregate = 2.61
 - (iv) Water absorption of fine aggregate = 1.0%
 - (v) Water absorption of coarse aggregate = 0.5%
 - (vi) Grading of fine aggregate = Zone 2

Any missing data may be assumed suitably.

(20 Marks)

(10 Marks)

8 Design the concrete mix for M20 grade concrete with following data: Characteristic compressive strength at 28 days = 20 MPa. Maximum size of aggregate = 20 mm Workability = Slump (100 mm) Degree of quality control = Good Type of exposure = Mild Specific gravity of cement = 3.15Specific gravity of coarse aggregate = 2.60 Specific gravity of fine aggregate = 2.60 Sand conforming to zone 2. Assume any other data suitably. (20 Marks) Explain various types of fibers used in concrete with their properties. 9 (10 Marks) Explain application of fibre reinforced concrete and light weight concrete. b. (10 Marks)

Write a note on RMC. 10 (10 Marks) b. Explain the materials used for manufacture of SCC.