Structural, Photo and Thermoluminescence Studies of Eu₃₊ Doped Orthorhombic Yalo₃ Nanophosphors

H.B. Premkumar a,b, H. Nagabhushana b,1, S.C. Sharma c, S.C. Prashantha d,1, H.P. Nagaswarupa d, B.M. Nagabhushana e, R.P.S. Chakradhar f

a Department of Physics, Acharya Institute of Technology, Bangalore-560107, India

b Prof. C.N.R. Rao Centre for Advanced Materials, Tumkur University, Tumkur 572 103, India

c Vice Chancellor, Chattisgarh Swamy Vivekananda Technological University, Bhilai (CG)-493441, India

d Research Center, Department of Science, East West Institute of Technology, Bangalore 560 091, India

e Department of Chemistry, M.S. Ramaiah Institute of Technology, Bangalore 560 054, India

f CSIR-National Aerospace Laboratories (CSIR), Bangalore 560 017, India

Abstract

A series of Eu³⁺ (1–6 mol%) activated YAIO₃ nanophosphors have been synthesized by a low temperature solution combustion method using ODH fuel. The structural, morphological, thermo and photoluminescent properties are studied. Powder X-ray diffraction patterns indicate that the phosphors are orthorhombic phase of YAIO3 with small traces of Y₃Al₅O₁₂phase. Scanning Electron micrographs show the crystallites are fused together to form dumbbell shape. Transmission Electron micrograph shows the crystallites are nano size in the range 30–45 nm. Photoluminescence studies of Eu doped YAIO₃ showed orange red emission (CIE co-ordinates x = 0.645, y = 0.353) due to the ${}^{5}D_{0} \rightarrow {}^{7}F_{i}$ (j = 0, 1, 2, 3, 4) transitions of Eu³⁺ ions. The concentration guenching occurs at x = 5 mol%. YAIO₃:Eu³⁺(5 mol%) exhibit two thermoluminescence (TL) glow peaks around 229 and 324 °C respectively. TL response with different y-doses show a good linear response and low fading suggesting that Eu³⁺ activated YAIO₃ is suitable for radiation dosimetry applications. The kinetic parameters (E, b, s) are estimated using peak shape method and discussed in detail.

Keywords:

Thermoluminescence Phosphor Eu3+ Rare-earth Photoluminescence