

USN

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

18AE56

Fifth Semester B.E. Degree Examination, July/August 2022
Theory of Vibrations


Time: 3 hrs.

Max. Marks: 100

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1


- 1 a. Discuss the types of vibration. (08 Marks)
b. Represent the periodic motion given in the following Fig.Q.1(b) by harmonic series. (12 Marks)



OR

- 2 a. Add the following harmonic motions and check the solution graphically:
 $x_1 = 2\cos(\omega t + 0.5)$
 $x_2 = 5\sin(\omega t + 1.0)$ (08 Marks)
b. Find the Fourier series expansion for the impact force generated by the forging hammer shown in Fig.Q.2(b). (12 Marks)

Fig.Q.2(b)



Module-2

- 3 a. Determine equivalent stiffness of spring combinations:
i) Springs in series ii) Springs in parallel. (08 Marks)
b. An oscillating system with a natural frequency of 3.98Hz starts with an initial displacement of $x_0 = 10\text{mm}$ an initial velocity of $\dot{x}_0 = 125\text{mm/sec}$. Calculate all the vibratory parameters involved and the time taken to reach the first peak. (12 Marks)

OR

- 4 a. Derive differential equation of damped free vibration. (10 Marks)
b. A spring-mass-dashpot system is given an initial velocity of XW_n where W_n is the undamped natural frequency of the system. Find the equation of motion for the system when
i) $\xi = 2.5$ ii) $\xi = 1$ iii) $\xi = 0.5$. (10 Marks)

Module-3

- 5 a. Discuss the necessity of vibration isolation. (06 Marks)
b. A mass of 10kg suspended from one end of helical spring, the other end is fixed. The stiffness of spring is 10N/mm. The viscous damping causes the amplitude to decrease $1/10^{\text{th}}$ of initial value in four complete oscillations. If a periodic force of $150\cos 50t\text{N}$ is applied at the mass with vertical direction. Find the amplitude of forced vibration. What is its value at resonance? (14 Marks)


OR

- 6 a. With neat figure, explain construction and working of
 i) Vibrometer ii) Fullarton tachometer. (10 Marks)
 b. An accelerometer with a damped natural frequency of vibration of 160Hz has a suspended mass of 0.02kg. When it is mounted on an engine, which is undergoing an acceleration of 10m/sec^2 at an operating speed of 6500rpm, the acceleration recorded in the instrument is 9.75m/sec^2 , determine damping constant and the spring stiffness of the accelerometer. (10 Marks)

Module-4

- 7 a. Derive expression for displacements in two degree of freedom system subjected to free vibration interms of initial conditions. (10 Marks)
 b. A two degrees of freedom vibrating system as shown in below Fig.Q.7(b). Determine:
 i) The two natural frequencies of vibrations.
 ii) Ratio of amplitudes of motion of m_1 and m_2 for the two modes of vibration.
 iii) Modal vector and modal shapes.
 iv) Locate the nodes for each mode of vibration. (10 Marks)


Fig.Q.7(b)



OR

- 8 a. Derive expression for equivalent length in geared system. (10 Marks)
 b. With respect to below Fig.Q.8(b) assume $l_1 = l$ and $l_2 = 2l$, $m_1 = m_2 = m$. Obtain the natural frequencies of the double pendulum and sketch its mode shapes. (10 Marks)


Fig.Q.8(b)



Module-5

- 9 a. State and prove Maxwell reciprocal theorem. (06 Marks)
 b. Determine the influence coefficients for the system shown in below Fig.Q.9(b). (14 Marks)

Fig.Q.9(b)



OR

- 10 Determine the natural frequency and the mode shape of the system shown in below Fig.Q.10 by Holzer's method. (20 Marks)

Fig.Q.10

