

| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|

Fifth Semester B.E. Degree Examination, July/August 2022
Formal Languages and Automata Theory

Time: 3 hrs.

Max. Marks: 100

Note: Answer any FIVE full questions, selecting at least TWO questions from each part.

PART – A

1.
 - a. What is Automata? Discuss why to Study Automata. (06 Marks)
 - b. Define DFA and design DFA for the following languages:
 - (i) Decimal integers divisible by 3. (10 Marks)
 - (ii) String of a's and b's, such that every block of five consecutive symbols have atleast two b's. (04 Marks)
 - c. Define NFA and design an NFA for the language L^2 , where $L = \{awa \mid w \in \{a, b\}^n, n \geq 0\}$. (04 Marks)

2.
 - a. Define ϵ -NFA and design an ϵ -NFA to accept decimal numbers and convert the constructed ϵ -NFA to its equivalent DFA. (10 Marks)
 - b. Define a Regular Expression and give the Regular Expression for the following languages:
 - (i) $L_1 = \{a^n b^m \mid m + n \text{ is even}\}$ (ii) $L_2 = \{a^n b^m \mid m \geq 1, n \geq 1, n * m \geq 3\}$ (06 Marks)
 - c. Convert the following Finite Automata to a Regular Expression [Refer Fig.Q2(c)].




Fig.Q2(c)

3.
 - a. State and prove pumping Lemma for regular languages. (06 Marks)
 - b. Show that $L = \{ww \mid w \in \{a, b\}^*\}$ is not regular. (06 Marks)
 - c. Minimize the following DFA using Table.Q3(c) filling algorithm. (08 Marks)

| δ | 0 | 1 |
|-------------------|-------|-------|
| $\rightarrow q_1$ | q_2 | q_3 |
| q_2 | q_3 | q_5 |
| $*q_3$ | q_4 | q_3 |
| q_4 | q_3 | q_5 |
| $*q_5$ | q_2 | q_5 |

Table.Q3(c)

4.
 - a. Define the following terms with an example:
 - (i) Left Most Derivation (LMD)
 - (ii) Right Most Derivation (RMD)
 - (iii) Sentential form
 - (iv) Yield of a tree
 - (v) Parse tree

(05 Marks)

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.
2. Any revealing of identification, appeal to evaluator and/or equations written eg, 42+8 = 50, will be treated as malpractice.

- b. Define Context Free Grammar and generate CFG for the language:
 (i) $L_1 = \{w = w^R \mid w \text{ is in } \{a, b\}^*\}$ (ii) $L_2 = \{a^n b^m c^k \mid k = m + n, m, n, k \geq 0\}$ (05 Marks)
- c. What is an ambiguous grammar? Show that the following grammar is ambiguous:
 $S \rightarrow SbS \mid a$ (05 Marks)
- d. Write the LMD, RMD and Parse Tree for the string “+ * - xyxy” using the grammar:
 $E \rightarrow +EE \mid *EE \mid -EE \mid x \mid y$ (05 Marks)

PART – B

- 5 a. Define Push Down Automata and also discuss the languages accepted by a PDA. (06 Marks)
- b. Design a PDA to accept the language $L = \{0^{2n} 1^n \mid n \geq 1\}$ and also show the moves made by PDA for the string “000011”. (10 Marks)
- c. Convert the following CFG to PDA:
 $S \rightarrow a A B B \mid a A A$
 $A \rightarrow a B B \mid a$
 $B \rightarrow b B B \mid A$
 $C \rightarrow a$ (04 Marks)
- 6 a. Eliminate the useless symbols and productions from the following grammar.
 $S \rightarrow AB \mid AC$
 $A \rightarrow aA \mid bAa \mid a$
 $B \rightarrow bbA \mid aB \mid AB$
 $C \rightarrow aCa \mid aD$
 $D \rightarrow aD \mid bC$ (07 Marks)
- b. Define CNF and convert the following grammar into CNF:
 $S \rightarrow ABa$
 $A \rightarrow aab$
 $B \rightarrow Ac$ (06 Marks)
- c. Prove that the family of context free languages is closed under union, concatenation and star closure. (07 Marks)
- 7 a. Design a Turing Machine for the language $L = \{0^n 1^n 2^n \mid n \geq 1\}$. Write the Transition diagram and also indicate the moves made by the Turing machine for the input “001122”. (14 Marks)
- b. Define Turing Machine and Explain the working of a basic Turing Machine with a neat diagram. (06 Marks)
- 8 Write short notes on:
- a. Multi Tape Turing Machine (05 Marks)
- b. Non-Deterministic Turing Machine (05 Marks)
- c. Post’s Correspondence Problem (05 Marks)
- d. Universal Turing Machine. (05 Marks)
