

## Third Semester B.E. Degree Examination, July/August 2022

### Engineering Mathematics - III

Time: 3 hrs.

Max. Marks: 100

**Note: Answer any FIVE full questions, choosing ONE full question from each module.**

Important Note : 1. On completing your answers, compulsorily draw diagonal cross lines on the remaining blank pages.  
2. Any revealing of identification, appeal to evaluator and /or equations written eg, 42+8 = 50, will be treated as malpractice.

#### Module-1

- 1 a. Find the Fourier Series of  $f(x) = \begin{cases} -\pi, & -\pi < x < 0 \\ x, & 0 < x < \pi \end{cases}$ .  
 Hence deduce that  $\frac{1}{1^2} + \frac{1}{3^2} + \frac{1}{5^2} + \dots = \frac{\pi^2}{8}$ . (08 Marks)
- b. Find the Fourier Half-range sine series of  $f(x) = \begin{cases} x, & 0 < x < 1 \\ 2-x, & 1 < x < 2 \end{cases}$ . (06 Marks)
- c. Express y as a Fourier Series upto first harmonics for the following table : (06 Marks)

X	0	1	2	3	4	5
Y	4	8	15	7	6	2

**OR**

- 2 a. Compute the first two harmonics of the Fourier Series of  $f(x)$  given the following table :

x :	0	$\pi/3$	$2\pi/3$	$\pi$	$4\pi/3$	$5\pi/3$	$2\pi$
$f(x) :$	1.0	1.4	1.9	1.7	1.5	1.2	1.0

(08 Marks)  
(06 Marks)

- b. Find the Fourier series of  $f(x) = x^2 - 2$  when  $-2 < x < 2$ .

- c. Obtain the Fourier Cosine series for  $f(x) = \begin{cases} \cos x, & 0 < x < \frac{\pi}{2} \\ 0, & \frac{\pi}{2} < x < \pi \end{cases}$ . (06 Marks)

#### Module-2

- 3 a. Find the Infinite Fourier transform of

$$f(x) = \begin{cases} 1, & |x| \leq a \\ 0, & |x| > a \end{cases} \text{ and hence evaluate } \int_0^\infty \frac{\sin ax}{x} dx. \quad (08 \text{ Marks})$$

- b. If the Fourier sine transform of  $f(x)$  is given by  $F_s(\alpha) = \frac{\pi}{2} e^{-2\alpha}$ , find the function  $f(x)$ . (06 Marks)

- c. Find the Z-transform of  $3n - 4\sin \frac{n\pi}{4} + 5a$ . (06 Marks)

**OR**

- 4 a. Find the Fourier Cosine transform of  $e^{-ax}$ , hence evaluate  $\int_0^\infty \frac{\cos \lambda x}{x^2 + a^2} dx. \quad (08 \text{ Marks})$

- b. Find the inverse Z-transform of  $\frac{5z}{(2-z)(3z-1)}$ . (06 Marks)

- c. Solve  $u_{n+2} - 5u_{n+1} + 6u_n = 1$ , with  $u_0 = 0$ ,  $u_1 = 1$ , by using Z-transform method. (06 Marks)

### Module-3

- 5 a. Calculate the coefficient of correlation and obtain the lines of regression for the following data :

x :	1	2	3	4	5	6	7	8	9
y :	9	8	10	12	11	13	14	16	15

(08 Marks)

- b. Fit a Parabola to the following data :

x :	1	2	3	4	5
y :	2	6	7	8	10

(06 Marks)

- c. Use Newton-Raphson method to find a real root of equation  $x \sin x + \cos x = 0$  near  $x = \pi$ , correct to four decimal places. (06 Marks)

### OR

- 6 a. In a partially destroyed laboratory record of correlation data, the following results only are available : Variance of x is 9. Regression equations are  $8x - 10y + 66 = 0$ ,  $40x - 18y = 214$ . Find i) the mean values of x and y ii) standard deviation of y iii) the coefficient of correlation between x and y. (08 Marks)

- b. By the method of least squares, fit a straight line to the following data : as  $y = ax + b$ .

x :	1	2	3	4	5
y :	14	13	9	5	2

(06 Marks)

- c. Compute the real root of the equation  $x \log_{10} x - 1.2 = 0$ , lying between 2.7 and 2.8 correct to four decimal places, using the method of false position. (06 Marks)

### Module-4

- 7 a. Given  $\sin 45^\circ = 0.7071$ ,  $\sin 50^\circ = 0.7660$ ,  $\sin 55^\circ = 0.8192$ ,  $\sin 60^\circ = 0.8660$ , find  $\sin 57^\circ$  using an appropriate Interpolation formula.. (08 Marks)
- b. A curve passes through the points  $(0, 18)$ ,  $(1, 10)$ ,  $(3, -18)$  and  $(6, 90)$ . Find the polynomial  $f(x)$  using Lagrange's formula. (06 Marks)
- c. Use Simpson's  $\left(\frac{1}{3}\right)^{\text{rd}}$  rule to find  $\int_0^{0.6} e^{-x^2} dx$  by taking seven ordinates. (06 Marks)

### OR

- 8 a. Given  $f(40) = 184$ ,  $f(50) = 204$ ,  $f(60) = 226$ ,  $f(70) = 250$ ,  $f(80) = 276$ ,  $f(90) = 304$ , find  $f(38)$  and  $f(85)$  using suitable Interpolation formulae. (08 Marks)
- b. Use Newton's divided difference formula to find  $f(40)$ , given the data :

x	0	2	3	6
$f(x)$	-4	2	14	158

(06 Marks)

- c. Use Weddle's rule to compute the area bounded by the curve  $y = f(x)$ , x - axis and the extreme ordinates from the following table : (06 Marks)

x :	0	1	2	3	4	5	6
y :	0	2	2.5	2.3	2	1.7	1.5

**Module-5**

- 9 a. Using Gauss – divergence theorem, evaluate  $\int_S \vec{F} \cdot d\vec{s}$ , where  $\vec{F} = 4x\hat{i} - 2y^2\hat{j} + z^2\hat{k}$  and s is the surface bounding the region  $x^2 + y^2 = 4$ ,  $z = 0$  and  $z = 3$ . (08 Marks)
- b. Find the work done in moving a particle in the force field  $\vec{F} = 3x^2\hat{i} + (2xz - y)\hat{j} + z\hat{k}$ , along the Straight from  $(0, 0, 0)$  to  $(2, 1, 3)$ . (06 Marks)
- c. Find the extremal of the functional  $I = \int_0^{\pi/2} (y^2 - y'^2 - 2y \sin x) dx$  under the end conditions  $y = 0 = y(\pi/2) = 0$ . (06 Marks)

**OR**

- 10 a. Verify Stoke's theorem for the vector field  $\vec{F} = (2x - y)\hat{i} - yz^2\hat{j} - y^2z\hat{k}$  over the upper half surface  $x^2 + y^2 + z^2 = 1$ , bounded by its projection on the xy – plane. (08 Marks)
- b. Find the Geodesics on a plane. (06 Marks)
- c. A heavy cable hangs freely under gravity between two fixed points. Show that the shape of the cable is a catenary. (06 Marks)

\*\*\*\*\*