Time: 3 hrs.

Max. Marks: 100

Note: Answer any FIVE full questions, choosing ONE full question from each module.

Module-1

- a. Define Control System. Write the differences between open loop control system and closed loop control system. (05 Marks)
 - b. For the mechanical system shown in Fig.Q.1(b). Write: i) The mechanical network ii) The equations of performance analogy.

 (08 Marks)





Fig.Q.1(b)

c. Find the transfer function $\frac{X_1(S)}{F(S)}$ for the system shown in Fig.Q.1(c).

(07 Marks)



OR

2 a. What are the effects of feedback in control system?

(05 Marks)

b. For the rotational system shown in Fig.Q.2(b) draw the mechanical network. Obtain the equations of performance and find the transfer function $\frac{\theta_1(S)}{T(S)}$. (07 Marks)





Fig.Q.2(b)


1 of 4

c. For the mechanical system shown in Fig.Q.2(c). Find the analogous electrical network based on Force-Voltage analogy. (08 Marks)



Module-2


3 a. Obtain the transfer function of the system shown in Fig.Q.3(a) using block diagram reduction technique.



(10 Marks)

(10 Marks)

b. Find $\frac{C(S)}{R(S)}$ for the signal flow graph shown in Fig.Q.3(b) using Mason's Gain formula.



OR

4 a. Draw the corresponding SFG for the block diagram shown in Fig.Q.4(a) and obtain the transfer function using Mason's Gain formula. (10 Marks)





Fig.Q.4(a)

b. Find $\frac{C}{R}$ using block diagram reduction technique.

(10 Marks)



Module-3

5 a. Explain the following test signals with the help of graph and mathematical expression:
i) Step signal
ii) Ramp signal
iii) Parabolic signal.
(06 Marks)

b. Derive the expression for the underdamped response of a second order feedback control system for step input. (08 Marks)

c. Derive the expression for rise time (T_r) of an underdamped second order system. (06 Marks)

OR

6 a. A unity feedback control system is characterized by an open loop transfer function $G(S)H(S) = \frac{K}{S(S+10)}.$ Determine the system gain K, so that the system will have a damping ratio of 0.5. For this value of K, find the rise time, peak time, settling time and peak overshoot. Assume the system is subjected to a step of 1V. (10 Marks)

b. Find the position, velocity and acceleration error constants for a control system having open loop transfer function $G(S) = \frac{50}{S(S+5)}$. Also calculate, percentage overshoot for a unit step input, settling time for a unit step input and steady state error for an input defined by the polynomial $r(t) = 2 + 4t + 6t^2$, $t \ge 0$. (10 Marks)

Module-4

a. For the characteristic equation given by S⁴ + 25S³ + 15S² + 20S + K = 0. Determine: i) The range of value of K, so that the system is asymptotically stable ii) The value of K so that the system is marginally stable and find the frequencies of sustained oscillations. (06 Marks)

b. The open loop transfer function of a control system is given by

$$G(S).H(S) = \frac{K}{S(S+1)(S+2)}.$$
 Sketch the complete Root Locus. (14 Marks)

OR

8 a. Define:

- i) Gain Margin
- ii) Phase Margin

iii) Phase Cross Over Frequency.

(06 Marks)

b. Plot the Bode diagram for the open loop transfer function of a unity feed back system given by $G(S) = \frac{100(0.1S+1)}{S(S+1)^2(0.01S+1)}$. Find Gain Margin and phase Margin. Also comment on the closed loop stability of the system. (14 Marks)

Module-5

9 a. Explain the steps involved in using Nyquist criterion.

(06 Marks)

b. Represent the electrical circuit shown in Fig.Q.9(b) by a state model.

(10 Marks)




Fig.Q.9(b)

c. Write a short note on advantages of state variable approach.

(04 Marks)

OR

10 a. Find the state transition matrix for

$$A = \begin{bmatrix} 0 & 1 \\ -2 & -3 \end{bmatrix}.$$

(10 Marks)

b. Obtain state model for the given mechanical system shown in Fig.Q.10(b).

(10 Marks)




Fig.Q.10(b)