

CBCS SCHEME

18CV53

# Fifth Semester B.E. Degree Examination, Dec.2023/Jan.2024 **Design of RCC Structural Elements**

Time: 3 hrs.

Max. Marks: 100

Note: 1. Answer any FIVE full questions, choosing ONE full question from each module. 2. Use of IS - 456 - 2000 code, SP - 16 code book allowed.

## Module-1

Differentiate working stress method and limit state method.

(04 Marks)

Explain stress block parameters with neat sketches.

(08 Marks)

Differentiate balanced, under reinforced and over reinforced sections.

(08 Marks)

2 What are the causes of cracks in reinforced concrete members? Explain. a.

(06 Marks)

- b. A simply supported beam of rectangular section 250 × 450mm is used over an effective span of 4m. The beam is reinforced with 3 bars of 20mm diameter Fe-415 HYSD bars at an effective depth of 400mm. Two hanger bars of 10mm diameter are provided. The self wt of the beam together with the dead load on the beam is 4kN/m. Service load = 10kN/m, using M-20 grade concrete compute:
  - i) The short term deflection
  - ii) The long term deflection according to the Indian standard code IS: 456 2000.

(14 Marks)

### Module-2

Calculate the ultimate flexural strength of a tee beam section having the following section 3 properties.

Width of flange = 1200m,

Depth of flange = 120mm

Width of rib = 300mm

Effective depth = 600mm

Area of steel = 8 bars of 25mm diameter

Materials: M<sub>20</sub> grade concrete, F<sub>e</sub> – 415 HYSD bars

(06 Marks)

- A doubly reinforced concrete beam having a rectangular section 250mm wide and 540mm overall depth is reinforced with 2 bars of 12mm diameter in compression side and 4 bars of 20mm diameter in tension side. The effective cover to bars is 40mm. Using M-20 grade concrete and Fe 415 HYSD bars. Estimate the flexural strength of the tension using IS - 456 - 2000 code recommendations. (08 Marks)
- A reinforced concrete beam of rectangular section with a width of 300mm and effective depth 600mm is reinforced with 4 bars of 25mm diameter as tension reinforcement. Two of the tensions bars are bent up at 45° near support section. The beam is also provided with double legged vertical links of 8mm diameter at 150mm centers near supports. Using M-25 grade concrete and Fe – 415 HYSD bars. Compute the ultimate shear strength of the support section. (06 Marks)

### OR

What do you mean by doubly reinforced beam? Explain the necessity of providing doubly reinforced beam. (06 Marks)

- b. A tee beam has the following cross sectional details: Effective width of flange = 2000mm, Thickness of flange = 150mm, width of rib = 300mm, Effective depth = 1000mm, calculate the limiting or balanced moment capacity of the (10 Marks) section and area of tension reinforcement M20 and Fe415.
- Explain shear failure of RC members.

(04 Marks)

Module-3

Design a reinforced concrete beam of the rectangular section using the following data, 5 effective span = 5m, width of beam = 250mm, overall depth = 500mm, service load (DL + LL) = 40kN/m, Effective cover = 50mm (20 Marks) Materials: M-20 Grade concrete, Fe -415 HYSD bars.

Design a L beam for an office floor to suit the following data, 6 Clear span = 8m, Thickness of flange = 150mm, Live load = 4kN/m<sup>2</sup>, Spacing bars = 3m,  $f_{ck} = 20 \text{N/mm}^2$ ,  $f_y = 415 \text{N/mm}^2$  L beams are monolithic with RC columns, width of column (20 Marks) = 300 m.

Design a two way slab for an office floor of size 3.5m × 4.5m with discontinuous and simply 7 supported edges on all the sides with corners prevented from lifting and supporting a service live load of 4kN/m<sup>2</sup>. Adopt M-20 grade concrete and Fe415 HYSD bars. (20 Marks)

Design one of the flights of a dog-legged stairs spanning between landing beams using the following data, Number of steps = 10, Tread = 300mm, Rise = 150mm width of landing beams = 300mm, Use  $M_{20}$  grade concrete, and Fe – 415 HYSD bars ( $f_y = 415 \text{N/mm}^2$ ). (20 Marks)

Module-5

Design the reinforcement in a circular column of diameter 300mm to support a service axial load of 800kN. The column has an unsupported length of 3m and braced against side way. Column is reinforce with helical ties adopt M<sub>20</sub> Grade concrete Fe-415 HYSD bars.

(10 Marks)

b. Design the reinforcements in a short column 400 × 400 mm at the corner of a multistoried building to support an axial factored load of 1500kN, together with biaxial moments of 50kN-m acting in perpendicular planes. Adopt M-20 grade concrete and Fe-415 HYSD bars. (10 Marks)

Design a reinforced concrete footing for a rectangular column of section 300 × 500mm supporting an axial factored load of 1500kN. The safe bearing capacity of the soil at site is 185kN/m<sup>2</sup>. Adopt M<sub>20</sub> Grade concrete and Fe -415 HYSD bars. (20 Marks)